






Bearings are magnetic		128.100	
Distances in metres		TWR	
Elevations in feet AMSL		122.100	
Coordinates WGS84			
RWY	QFU	THR	BEARING STRENGTH
03	29°	42° 45' 06,41" N 11° 03' 47,44" E	PCN 49 F/B/W/U
21	209°	42° 46' 11,69" N 11° 04' 40,58" E	PCN 49 F/B/W/U


AD ELEV	GROSSETO		
17			
APRON ELEV	L I R S	42° 45' 35" N 011° 04' 19" E	
Nil			

WARNING

- RWY PHYSICAL CHARACTERISTICS FOR MILITARY AIRCRAFT: SEE MILAIP.
- PAPI NOT HARMONIZED WITH THRESHOLD POSITION.
- ALS RUNWAY 03 NOT HARMONIZED WITH THRESHOLD POSITION.
- THRESHOLD POSITION FOR CIVIL AIRCRAFT: SEE AIP ITALIA AD 2 LIRS 1-8 TABLE 20.6




IDENT	WIDTH	SURFACE	BEARING STRENGTH
A	12	CONCRETE	25 SIWL
B	23	CONCRETE	25 SIWL
C	12	ASPHALT	25 SIWL
D	12	ASPHALT	25 SIWL
E	30	ASPHALT	25 SIWL
F	12	ASPHALT	25 SIWL
G	23	ASPHALT	25 SIWL
H	30	CONCRETE	25 SIWL
J	12	ASPHALT	25 SIWL
K	12	ASPHALT	25 SIWL
M	12	ASPHALT	25 SIWL
N	12	ASPHALT	25 SIWL
P	23	ASPHALT	25 SIWL
Q	12	ASPHALT	25 SIWL
S	12	ASPHALT	25 SIWL
T	25	ASPHALT	25 SIWL



CHANGE: RWY AND SWY 03/21 WIDTH

Bearing are magnetic Distances in metres Elevation in ft AMSL Coordinates WGS 84	TWR 128.100 122.100
---	----------------------------------



AD ELEV 17
APRON ELEV 12

GROSSETO

LIRS

42° 45' 35" N

011° 04' 19" E

CIVIL APRON		
LIGHTING	BEARING STRENGTH	
Edge: Blue	Surface: Mq 13550 - Concrete Strength: 25 SIWL	
POINTS OF PARKING AREA		
STANDS	N	E
1	42° 45' 47.70"	11° 04' 56.10"
2	42° 45' 47.90"	11° 04' 53.80"

CHANGE: Updated chart

