


Bearings are magnetic Distances in metres Elevations in feet AMSL Coordinates WGS84		TWR 128.105
RWY	QFU	THR
03	28°	42°45'00.36"N 011°03'42.50"E
21	208°	42°46'20.88"N 011°04'48.08"E
		PCN 49 F/B/W/U

AD ELEV 15	L I R S		42° 45'35"N 011° 04'19"E
APRON ELEV 12			

WARNING
RWY PORTION AVAILABLE
FOR TAKE-OFF AND LANDING
(2349 X 45)

- WARNING**
1. PORTION OF RWY AVAILABLE FOR LANDING AND TAKE OFF OF AIRCRAFT IS THE SEGMENT BETWEEN THE ARRESTING CABLES.
(2349M X 45M)
- CABLE BLISS BAK 12 POSITION 2567M FROM THR RWY03
COORDINATES 42°46'11.69"N, 011°04'40.58"E
- CABLE BLISS BAK 12 POSITION 2680M FROM THR RWY21
COORDINATES 42°45'06.41"N, 011°03'47.44"E
 2. PAPI RUNWAY 03/21 AND ALS RUNWAY 03 ARE NOT HARMONIZED WITH RUNWAY PORTION AVAILABLE FOR LDG AND TAKE-OFF.
 3. RUNWAY STRIP NOT FULLY COMPLIANT WITH ICAO ANNEX 14 DUE TO OBSTACLES

CHANGE: TWR FREQUENCY AND TWY 'F' WIDTH UPDATED



TAXIWAY FOR CIVIL ACFT			
IDENT	WIDTH	SURFACE	BEARING STRENGTH
A	12	CONCRETE	25 SIWL
B	23	CONCRETE	25 SIWL
C	12	ASPHALT	25 SIWL
D	12	ASPHALT	25 SIWL
E	30	ASPHALT	25 SIWL
F	12	ASPHALT	25 SIWL
G	23	ASPHALT	25 SIWL
P	23	ASPHALT	25 SIWL
T	26	ASPHALT	25 SIWL


GROSSETO

LIRS

42° 45' 35" N

011° 04' 19" E

Bearing are magnetic Distances in metres Elevation in ft AMSL Coordinates WGS 84	TWR 128.105
---	-----------------------



AD ELEV 15
APRON ELEV 12

CIVIL APRON	
LIGHTING	BEARING STRENGTH
Edge: Blue	Surface: Mq 13550 - Concrete Strength: 25 SIWL

POINTS OF PARKING AREA		
STANDS	N	E
11	42° 45' 47.70"	011° 04' 56.10"
12	42° 45' 47.90"	011° 04' 53.80"

CHANGE: UPDATED CHART

